

Product Description

KeepSAFE® PU Palm Coated Glove

Features

- Seamless liner with polyurethane palm coating
- Ventilated back optimises breathability
- Excellent abrasion resistance
- Comfortable and precise handling offering excellent levels of dexterity
- Elasticated knitwrist offers a secure fit



Colour Options

- Black - 303055

Fabric

- Liner: Polyester
- Coating: PU

Standards

CONFORMS TO EN 388:2016+A1:2018: 3.1.2.1.X, EN 420:2003+A1:2009



Size Chart

| Size | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|------|----|---|---|---|----|-----|------|
| UK | XS | S | M | L | XL | XXL | XXXL |

NOTIFIED BODIES

These products are classed as Personal Protective Equipment (PPE) by the European PPE Regulation (EU) 2016/425 and have been shown to comply with this Regulation through the Harmonised European Standard EN388:2016+A1:2018.

Notified Body Details: The PPE is identical to the model subject to the EU Type-Examination performed by: AITEX, Plaza Emilio Sala 1, 03801 ALCOY (ALICANTE), Spain.

Notified Body No: 0161

SIZE DECLARATION

Gloves sizes (Marked in according to EN ISO 21420:2020+A1:2022)

Issue No: 3 Issue Date: 17/02/26

WARNINGS

Not suitable for chemical applications

If the Tear Score is 1 or above these gloves have a high resistance to tearing and should not be used if likely to be caught in moving machinery.

This product does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health. Protection is limited to part of the hand only.

DONNING INSTRUCTIONS

- 1: Wash and ensure your hands are completely dry before donning the gloves.
- 2: Remove one glove from the package and inspect it to be sure no pinholes or tears are present.
- 3: If gloves are ambidextrous, they can be worn on either hand. If not, align the glove's fingers and thumb with the proper hand before donning.
- 4: Insert five fingers into the cuff and pull the cuff over the wrist.
- 5: Check for a secure fit around the fingers and palm. The cuff should fit snugly around the wrist.

DOFFING INSTRUCTIONS

- 1: Grasp the outside edge of the glove near the wrist.
- 2: Peel the glove away from the hand, turning it inside out. Hold it in the opposite gloved hand.
- 3: Slide an ungloved finger under the wrist of the remaining glove, being careful not to touch the outside of the glove.
- 4: Peel the remaining glove off from the inside.
- 5: Wash and dry hands.

CLEANING AND MAINTENANCE

These gloves should not be washed or laundered.

The protection levels indicated are only valid for new gloves.

New and used gloves should be thoroughly inspected for damage before use.

Gloves presenting signs of damage should be discarded

Information regarding protection refers to the working surface, i.e. 'the palm' of the glove which has been submitted to testing.

Store in original packaging away from direct sunlight and extremes of temperature.

If these gloves get wet, allow to dry naturally before storing.

MECHANICAL TESTING TO EN388:2016+A1:201

| | |
|-----------------------|-----------------------|
| Abrasion Resistance | 3 (Scale from 1 to 4) |
| Blade Cut Resistance | 1 (Scale from 1 to 5) |
| Tear Resistance | 2 (Scale from 1 to 4) |
| Puncture Resistance | 1 (Scale from 1 to 4) |
| EN ISO Cut Resistance | X (Scale from A to F) |
| Impact Protection | X (P, X) |

Higher values stand for better protection/resistance

EN388:2016
+A1:2018



3.1.2.1.X

P=Pass

X=Not Tested



EN ISO 21420:2020 +A1:2022

(Risk category, sizes, marking, labelling, etc.)

Information supplied by the manufacturer in the user notice

Commodity Code

6116108000

Country of Origin

China

| Product Code | Size | Colour | Pack Quantity | Barcode |
|--------------|------|--------|-------------------|----------------|
| 303055060 | 6 | Black | Pair | 5056622039350 |
| 303055070 | 7 | Black | Pair | 5056622039367 |
| 303055080 | 8 | Black | Pair | 5056622039374 |
| 303055090 | 9 | Black | Pair | 5056622039381 |
| 303055010 | 10 | Black | Pair | 5056622039398 |
| 303055110 | 11 | Black | Pair | 5056622039404 |
| 303055110 | 12 | Black | Pair | 5056622039411 |
| 303055060 | 6 | Black | Pack of 12 Pairs | 15056622039357 |
| 303055070 | 7 | Black | Pack of 12 Pairs | 15056622039364 |
| 303055080 | 8 | Black | Pack of 12 Pairs | 15056622039371 |
| 303055090 | 9 | Black | Pack of 12 Pairs | 15056622039388 |
| 303055010 | 10 | Black | Pack of 12 Pairs | 15056622039395 |
| 303055110 | 11 | Black | Pack of 12 Pairs | 15056622039401 |
| 303055110 | 12 | Black | Pack of 12 Pairs | 15056622039418 |
| 303055060 | 6 | Black | Pack of 120 pairs | 25056622039354 |
| 303055070 | 7 | Black | Pack of 120 pairs | 25056622039361 |
| 303055080 | 8 | Black | Pack of 120 pairs | 25056622039378 |
| 303055090 | 9 | Black | Pack of 120 pairs | 25056622039385 |
| 303055010 | 10 | Black | Pack of 120 pairs | 25056622039392 |
| 303055110 | 11 | Black | Pack of 120 pairs | 25056622039408 |
| 303055110 | 12 | Black | Pack of 120 pairs | 25056622039415 |

Selling packaging information

| Size | Selling Pack Quantity | Selling Pack Net (kg) | Selling Pack Gross (kg) |
|------|-----------------------|-----------------------|-------------------------|
| 6 | 12 pairs | 0.389 | 0.399 |
| 7 | 12 pairs | 0.400 | 0.404 |
| 8 | 12 pairs | 0.404 | 0.404 |
| 9 | 12 pairs | 0.404 | 0.404 |
| 10 | 12 pairs | 0.404 | 0.471 |
| 11 | 12 pairs | 0.471 | 0.471 |
| 12 | 12 pairs | 0.471 | 0.471 |

Carton packaging information

| Size | Carton Quantity | Carton Dimensions | Carton Net (kg) | Carton Gross (kg) | Carton Per Pallet |
|------|-----------------|-------------------|-----------------|-------------------|-------------------|
| 6 | 120 Pairs | 44 x 32 x 27 | 3.4 | 3.8 | 32 |
| 7 | 120 Pairs | 44 x 32 x 27 | 3.6 | 4.5 | 32 |
| 8 | 120 Pairs | 44 x 32 x 27 | 4.02 | 4.62 | 32 |
| 9 | 120 Pairs | 44 x 32 x 27 | 4.2 | 4.8 | 32 |
| 10 | 120 Pairs | 42 x 32 x 28 | 4.2 | 4.6 | 32 |
| 11 | 120 Pairs | 42 x 32 x 28 | 3.9 | 4.4 | 32 |
| 12 | 120 pairs | 42 x 32 x 28 | 4,1 | 4.6 | 32 |